

SUPPLEMENT TO



The Gazette of India

No. 46]

NEW DELHI, SATURDAY, NOVEMBER 22, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 25th October, 1952

	CHOLERA SMALLPOX PLAGUE						CHOLERA SMALLPOX PLAGUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (G)												
Ajmer												
No incidence												
Assam												
Cachar	4	3	Hazaribagh	..	3	2
Khasi & Jaintia Hills	—	Ranchi	..	5	2
Naga Hills	Manbhum	..	1
Goalpara	Palamau
Kamrup	..	6	5	—	Singhbhum
Darrang	Bihar—contd.					
Nowgong	Hazaribagh	..	3	2
Sibsagar	Ranchi	..	5	2
Lakhimpur	Manbhum	..	1
Sadiya & Frontier Tracts	Palamau
Garo Hills	Singhbhum
TOTAL	..	6	5	4	8	..	Bihar					
(Estd. mid-year pop. 9,384 thousands.)							Hazaribagh	..	290	147
Total for w/e 18-10-52	8	1	7	3	—	..	Ranchi
Total for w/e 11-10-52	2	1	12	8	—	..	Manbhum
7-yearly mean for the week	18	9	5	1	—	..	Palamau
Bhopal												
No incidence												
Bihar												
Patna	69	28	Bihar—contd.
Gaya	70	31	Hazaribagh	..	3	2
Shahsbad	87	69	Ranchi	..	5	2
Saran	26	4	Manbhum	..	1
Champaran	7	2	Palamau
Muzaffarpur	12	3	Singhbhum
Darbhanga	Bombay					
Monghyr	Greater Bombay
Bhagalpur	Ahmedabad
Saharsa	Kaira
Purnea	10	6	Broach
Santal Parganas	Panch Mahals
						..	Surat
						..	Thana
						..	Satara South
						..	Ahmednagar
						..	East Khandesh
						..	West Khandesh
						..	Amravati	..	4	1
						..	Nasik	..	1
						..	Poona
						..	Satara North	..	26	5
						..	Sholapur
						..	Sabarkantha	22	6	..
						..	Belgaum
						..	Bijapur
						..	Dharwar	..	2
						..	Kanara	14
						..	Ratnagiri
						..	Kolaba
						..	Kolhapur
						..	Baroda

Explanation of Symbols used :—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th October 1952—contd.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE		
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Bombay—contd.												MadhyaPradesh—contd.		
Navsari	Raipur	
Dang*	Bilaspur	
Malwan	Durg	.	.	2	2	.	.	
Mehsana	Bastar	
Banaskantha	Surguja	
	TOTAL	28	8	43	7	—	Raigarh	.	.	.	2	.	.	
(Estd. mid-year pop. 36,802 thousands)												Amravati	.	.
Total for w/e 18-10-52	.	22	8	28	3	—	Yeotmal	.	.	—	1	1	.	
Total for w/e 11-10-52	.	10	2	23	6	—	Akola	.	.	—	—	—	.	
7-yearly mean for the week	.	97	37	31	6	101	Buldana	.	.	48	11	.	.	
								TOTAL	115	49	6	1	21	
Coorg												(Estd. mid-year pop. 21,554 thousands.)		
Total	.	.	—	1	.	—	Total for w/e 18-10-52	97	55	—	—	8	.	
(Estd. mid-year pop. 237 thousands.)												Total for w/e 11-10-52	46	28
Total for w/e 18-10-52	.	—	—	5	1	—	7-yearly mean for the week	.	120	55	22	2	67	
Total for w/e 11-10-52	.	—	—	1	—	—				—	—	1	.	
7-yearly mean for the week	.	—	—	—	—	—							.	
Delhi												Madras		
No incidence												Vizakhapatnam	.	22
Himachal Pradesh												Srikakulam	.	19
Mahasu	.	.	.	—	—	—	East Godavari	.	.	—	—	.	.	
Mandi	.	.	.	—	—	—	West Godavari	.	.	—	—	1	.	
Sirmur	.	.	.	—	—	—	Krishna	.	.	8	1	.	.	
Chamba	.	.	—	—	—	1	Guntur	.	.	2	3	.	.	
	TOTAL	—	—	—	—	1	Nellore	.	.	—	—	—	.	
Estd. mid-year pop. 997 thousands.)												Cuddappah	.	—
Total for w/e 18-10-52	.	—	—	—	—	—	Kurnool	.	.	16	7	.	.	
Total for w/e 11-10-52	.	—	—	—	1	—	Bellary	.	.	—	—	—	.	
Madhya Pradesh												Anantapur	.	—
Nagpur	Madras City	.	.	8	2	10	2	
Wardha	Chingleput	.	.	13	11	4	.	
Chanda	—	3	Chittoor	.	.	56	22	7	1	
Chhindwara	.	.	9	2	.	.	North Arcot	.	.	100	47	1	1	
Betul	Salem	.	.	143	83	.	.	
Bhandara	Coimbatore	.	.	216	100	.	.	
Jabalpur	.	.	56	34	.	.	South Arcot	.	.	—	—	—	.	
Sagar	Tanjore	.	.	61	41	24	5	
Mandla	Tiruchirapalli	.	.	73	31	5	1	
Hoshangabad	Methurai	.	.	154	49	.	.	
Nimar	Ramnathapuram	.	.	—	5	.	.	
Balaghat	Tirunelveli	.	.	—	—	8	1	
							Nilgiris	.	.	—	—	—	.	
							Malabar	.	.	8	4	11	2	

Explanation of Symbols used—C—Cases; D—Deaths.

Reported attacks and deaths from cholera, small pox, plague and typhus in districts in India during the week ending the 25th October, 1952—contd.

Explanation of symbols used: — C. — Cases, (D. — Deaths).

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th October, 1952—contd.

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		
Uttar Pradesh—contd.														STATES PART (B)																
Hyderabad																														
Deoria	.	.	10	0	—	—	—	—	—	—	—	—	—	Aurangabad	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Basti	.	.	11	7	—	—	—	—	—	—	—	—	—	Parbhani	.	.	3	3	—	—	—	—	—	—	—	—	—	—		
Asamgarh	.	.	24	14	—	—	—	—	—	—	—	—	—	Bhir	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Nainital	.	.	—	—	—	—	—	—	—	—	—	—	—	Gulberga	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Almora	.	.	—	—	—	—	—	—	—	—	—	—	—	Raichur	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Garhwal	.	.	—	—	—	—	—	—	—	—	—	—	—	Bidar	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Lucknow	.	.	—	—	—	—	—	—	—	—	—	—	—	Omanabad	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Unao	.	.	—	—	—	—	—	—	—	—	—	—	—	Warrangal	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Rae Bareli	.	.	—	—	—	—	—	—	—	—	—	—	—	Karimnagar	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Sitapur	.	.	—	—	—	—	—	—	—	—	—	—	—	Adilabad	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Hardoi	.	.	—	—	—	—	—	—	—	—	—	—	—	Nizamabad	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Kheri	.	.	—	—	—	—	—	—	—	—	—	—	—	Medak	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Falzabad	.	.	7	6	—	—	—	—	—	—	—	—	—	Nalgonda	.	.	9	4	—	—	—	—	—	—	—	—	—	—		
Gonda	.	.	11	7	—	—	—	—	—	—	—	—	—	Mahbubnagar	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Bahraich	.	.	—	—	—	—	—	—	—	—	—	—	—	Hyderabad	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Sultanpur	.	.	—	—	—	—	—	—	—	—	—	—	—	Nanded	.	.	—	—	—	—	—	—	—	—	—	—	—	—		
Partabgarh	.	.	—	—	—	—	—	—	—	—	—	—	—	TOTAL	.	.	12	6	5	1	—	—	—	—	—	—	—	—		
Bara Banki	.	.	4	2	—	—	—	—	—	—	—	—	—	Jammu and Kashmir																
Rampur	.	.	—	—	—	—	—	—	—	—	—	—	—	Return not received																
TOTAL	.	.	98	54	—	—	—	—	—	—	—	—	—	Madhya Bharat																
(Estd. mid-year pop. 64,152 thousands).														No incidence																
Total for w/e 18-10-52	.	.	64	35	—	—	—	—	—	—	—	—	—	Mysore																
Total for w/e 11-10-52	.	.	56	32	—	—	—	—	—	—	—	—	—	Bangalore	.	.	—	—	5	—	—	—	—	—	—	—	—			
7-yearly mean for the week	.	.	207	124	8	2	23	9	—	—	—	—	—	Chikmagalur	.	.	2	2	—	—	—	—	—	—	—	—	—			
Vindhya Pradesh														Chitaldrug																
No incidence.														Hassan	.	.	—	—	—	—	—	—	—	—	6	3	—			
West Bengal														Kadur	.	.	—	—	—	—	—	—	—	—	—	—	—			
Return not received.														Kolar	.	.	76	36	1	—	—	—	—	—	—	—	—			
Grand Total for States Parts (A) and (C) excluding West Bengal 1,580														Mandy	.	.	9	5	—	—	—	—	—	—	—	—	—			
Corresponding Estimated mid-year pop. 26,547 thousands).														Mysore	.	.	—	—	—	—	—	—	—	—	—	—	—			
Corresponding Total for w/e 18-10-52	1,518	741	168	29	8	2	—	—	—	—	—	—	—	Shimoga	.	.	—	—	—	—	—	—	—	—	—	—	—			
Corresponding Total for w/e 11-10-52.	1,500	857	142	27	10	..	—	—	—	—	—	—	—	Tumkur	.	.	—	—	—	—	—	—	—	—	—	—	—			
Corresponding 7-yearly mean for the week	1,271	642	330	70	224	63	—	—	—	—	—	—	—	TOTAL	.	.	87	43	6	—	—	—	—	—	—	—	—	—		
Patiala & East Punjab States Union														No incidence																
Rajasthan														R return not received.																

Explanation of Symbols used :— C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 25th October, 1952—contd.

CHOLERA				SMALLPOX				PLAQUE				CHOLERA				SMALLPOX				PLAQUE			
C.	D.	C.	D.	C.	D.	—				C.	D.	C.	D.	C.	D.	C.	D.						

Saurashtra

POLIOMYELITIS

Medhya Saurashtra	1	Places	Period	Class
Sorath	•	•	•	•	•	•	•	•	Punjab (I)	16—31 October, 1952	21) Parelio)
Zalawad	•	•	•	•	•	•	•	•			

Travancore-Clouds

TOTAL 7 4

TYPHUS

Grand total for States										TYPHUS		
Part (B)	.	.	90	49	18	5	8	5	Place	Period	Case	

Explanation of Symbols used—C = Cases : D = Deaths.

NEW DELHI-2 (INDIA);

K. MITRA,
for Registrar General, India.

TONIGHT'S BEST INVESTMENT FOR SMALL SAVERS

AC.2/3

DEPOSITS TEN-YEAR TREASURY SAVINGS

3½%

CERTIFICATES

SAVINGS

THE NATION

The certificates are obtainable from Post Offices doing savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000 An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

AMERICANS IN THESE CHURCHES REPORT, MEANINGFULNESS OF, AND 12 YEARS, THE JEWISH IS 30%, 357% AND 41.6% SIMPLE MEASURE, RESPECTIVELY, AT Maturity. Thus, IN THE 12 YEARS-CERTIFICATES MONEY INCREASES BY 50% ON MATURITY. Interest IS FREE OF INCOME-TAX AND SUPER-TAX AND IS NOT TAKEN INTO ACCOUNT IN ARRIVING AT THE TOTAL TAXABLE INCOME.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th October, 1952.

Deaths from :-

Town	Mid-1952 Popn. Est. (000)	Deaths from :-												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES—(Parts A and C)														
Ajmer														
Ajmer	203	117	30.0	11	1	8	..	36	9.2	8	
Beawar	53	18	17.7	15	1	6	..	32	81.4	1	
TOTAL	256	135	27.4	26	2	14	..	68	13.8	9	
Assam														
Dibrugarh	40	8	10.4	2	2	2.6	..	
Gauhati	45	29	33.3	1	1	2	..	24	27.7	..	
Silchar	36	17	23.8	4	2	11	15.5	..	
Shillong	56	39	36.2	1	4	3	8	7.4	..	
TOTAL	177	93	27.3	7	4	6	3	45	13.2	..	
Bhopal														
<i>Return not received.</i>														
Bihar														
Bombay														
Ahmedabad	814	878	58.8	41	22	120	..	350	23.2	112	
Ahmednagar	83	87	54.5	4	2	1	..	18	11.3	..	
Amalner	46	46	52.0	8	1	7	..	24	27.1	6	
Bagalkot	33	31	48.8	3	1	4	..	14	22.1	2	
Baroda	219	229	54.4	48	..	3	..	84	19.9	15	
Barni	43	46	55.6	5	1	13	15.7	4	
Belgaum	103	89	41.1	2	2	3	..	24	12.1	1	
Bhusawal	56	45	41.8	4	..	9	..	14	13.0	5	
Bijapur	68	66	50.5	4	9	17	19.0	..	
Broach	64	63	51.2	5	..	1	1	24	19.5	7	
Cambay	40	54	70.2	12	8	19	24.7	..	
Challagon	31	27	45.3	3	7	11.7	1	
Dharwar	69	55	41.4	1	2	6	..	28	21.1	5	
Dhulia†														
Gadag-Betgeri														
Godhra†														
Greater Bombay	2,087	1,855	32.3	10	20	100	3	781	13.6	221	
Hubli	134	80	31.0	4	1	3	..	24	9.3	4	
Jalgaon	71	41	30.0	7	2	6	1	23	16.9	6	
Kalyan	62	36	30.9	3	..	1	..	7	5.9	1	
Kolhapur	143	37	13.5	15	4	7	..	55	20.0	10	
Nandurbar	31	25	44.9	2	11	18.5	4	
Malegaon	57	76	69.3	11	..	4	2	19	17.3	8	
Miraj	41	22	27.9	1	..	4	..	19	24.0	..	
Nalhati	65	62	40.6	18	..	1	..	31	25.8	12	
Nasik	103	59	29.8	3	4	3	..	29	14.0	4	
Navsari	46	53	50.9	6	7	8.0	2	
Pandharpur	41	26	33.0	6	4	5	1	25	31.7	1	
Patan	44	53	64.1	10	..	3	..	15	18.1	3	
Poona	516	298	30.0	4	1	35	4	138	13.9	34	
Sangli	52	22	22.4	4	2	19	19.4	4	
Satara	38	37	54.7	1	1	1	2	..	13	17.8	4	
Sholapur	274	352	66.8	6	4	45	..	106	20.1	31	
Surat	230	209	47.3	15	..	12	1	74	16.7	28	
Thana	53	40	39.2	6	1	2	..	18	17.5	3	
TOTAL	6,655	5,099	39.8	1	272	81	441	14	2,050	16.0	547	
Delhi State														
Delhi City	956	736	40.1	94	8	33	2	168	10.2	55	
New Delhi	304	216	36.9	2	1	8	2	24	4.1	13	
TOTAL	1,259	952	39.3	96	9	41	4	212	8.8	08	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Feavers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th October, 1952—*contd.*

Deaths from:—

Town	Mid. 1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh													
Achalpur	36	33	47.7	2	8	24	34.7	..
Akola	93	89	49.8	14	7	44	24.6	5
Amravati	90	70	40.4	15	2	2	..	36	20.8	8
Bilaspur	39	26	34.7	5	..	1	..	20	26.7	11
Burhanpur	72	64	46.2	11	2	4	..	26	18.8	..
Chanda	41	50	63.4	13	3	1	..	27	34.2	9
Damoh†													
Gondia†													
Hinganghat†													
Jabalpur†													
Khandwa	54	29	27.9	7	1	19	12.5	..
Nagpur	469	342	37.9	49	16	29	1	178	19.7	13
Raipur	93	27	15.1	—	—	—	7	2	10	5.6	..
Sagar†													
Wardha†													
Yeotmal†													
TOTAL	987	730	38.6	—	123	41	37	1	878	19.9	55
Madras													
Adoni	56	45	41.8	3	10	9.3	2
Ambur	42	27	33.4	2	..	3	..	13	16.1	4
Anakapalle	42	41	50.8	14	..	1	7	1	2	1	47	58.2	7
Aruppukottai	50	70	72.8	5	..	3	..	21	21.8	8
Bollary	73	60	42.7	2	6	..	10	13.5	4
Bhimavaram	32	18	29.3	4	..	1	..	11	17.9	3
Cannanore	43	42	50.8	—	—	—	3	1	3	—	21	25.4	2
Chirala	37	16	22.4	3	1	3	..	14	10.7	3
Chittior	40	38	46.8	1	1	1	1	..	34	31.2	4
Coimbatore	203	200	74.3	3	4	12	26	..	116	29.7	33
Cuddalore	69	82	61.8	2	3	4	1	34	25.6	6
Cuddappah	39	31	41.3	1	3	1	1	..	13	17.3	2
Dindigul	82	58	36.8	2	6	2	2	1	43	27.3	5
Eluru	90	57	32.9	6	..	5	2	33	19.1	4
Erode	60	76	65.9	5	3	..	6	1	34	29.5	6
Guddiyattam	47	37	40.9	1	2	1	..	12	13.3	3
Guntur	124	144	57.2	2	22	1	5	1	68	25.0	12
Kakinada	103	65	32.8	14	..	3	..	60	30.3	14
Kancheepuram	86	100	60.5	3	4	4	19	..	66	39.0	15
Karaikudi	39	30	40.0	3	1	20	26.7	5
Karur	44	31	36.6	1	..	3	..	17	20.1	2
Kazhikode	162	158	50.7	2	3	2	5	..	63	20.2	16
Kumbakonam	95	102	55.8	5	7	1	52	28.5	11
Kurnool	62	74	62.1	1	2	4	3	29	24.3	8
Madras	1,488	1,829	63.9	2	2	..	86	88	200	7	868	30.3	238
Mangalore	122	108	46.0	8	1	0	..	41	17.5	2
Marupatnam	81	59	37.9	3	..	12	..	34	21.8	8
Methurai	378	324	44.6	4	1	..	17	9	42	1	186	26.6	30
Metturam	45	38	43.9	18	20.8	4
Metupelayam	38	13	17.8	3	1	3	..	10	13.7	4
Negapattinam	59	58	51.1	1	1	1	..	24	21.2	3
Nellore	85	115	70.4	8	1	10	3	70	42.8	20
Ootacamund	43	47	58.2	1	..	6	..	21	26.0	8
Palyamkottai	41	35	44.4	2	..	3	..	12	15.2	..
Palghat†													
Proddatur	38	31	42.4	2	1	4	..	14	19.2	3
Pudukkottai†													
Rajahmundry	109	83	39.2	3	1	3	1	41	19.4	3
Rajapalayam	63	67	55.9	2	3	6	..	27	22.3	9
Salem	212	197	48.1	1	11	8	20	1	103	25.1	13
Srivilliputtur	41	35	39.6	3	3	2	..	23	26.0	6
Tanjore	106	124	61.4	..	2	..	3	7	6	3	64	31.7	7
Tellicherry	63	46	38.0	5	..	26	21.5	3
Tenali	60	71	62.4	3	2	3	..	28	24.3	6
Tiruchirappalli	226	188	43.3	2	20	..	80	18.4	9
Tirunelveli	75	65	38.1	5	10	1	33	22.9	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Disease; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th October, 1952—contd.

Deaths from:—

Town	Mid.-1952 Popn.-Est. (000)	Deaths from:—												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madras—contd.														
Tiruppur	55	56	52.9	3	5	7	1	30	28.4	7	
Tiruvannamalai	31	41	50.8	2	4	2	..	23	28.5	7	
Tuticorin	101	129	66.4	1	7	13	..	47	24.2	11	
Vaniyambadi	40	34	44.2	11	5	3	..	34	44.2	4	
Vellore	111	126	59.0	7	2	10	7	1	62	29.0	9	
Vijayavada	171	133	40.4	7	1	5	..	42	12.8	8	
Virudhunagar	48	65	70.4	1	2	6	..	26	28.2	6	
Visakhapatnam	118	92	42.3	5	1	5	2	43	19.8	8	
Vizianagram	69	53	39.9	2	2	2	1	28	21.1	7	
	TOTAL	5,831	5,943	53.0	58	8	..	269	209	583	37	2,903	26.3	631
Orissa														
Berhampur	65	35	28.0	6	3	2	..	14	11.2	4	
Cuttack	106	79	38.8	2	7	9	2	..	48	23.5	6	
Puri†														
	TOTAL	171	114	34.7	2	13	12	4	..	62	18.9	10
Punjab (I)														
Ambala	59	62	55.0	10	2	3	1	21	18.6	5	
Amritsar	817	170	38.0	3	6	30	1	86	14.2	5	
Batala	57	54	53.8	6	1	1	2	13	11.9	5	
Bhiwani	53	53	52.3	7	2	5	..	22	21.7	6	
Farozepore	41	41	52.3	1	1	1	..	6	7.7	1	
Hissar	36	26	37.7	4	1	2	..	9	13.1	5	
Hoshiarpur	47	81	34.5	4	3	4	..	14	15.6	3	
Jullundur	176	138	41.0	25	3	4	..	26	7.7	10	
Karnal	61	57	48.8	4	1	1	..	7	6.0	..	
Ludhiana	159	151	49.7	24	1	2	1	36	11.8	15	
Moga	38	34	46.8	2	1	4	..	8	11.0	3	
Panipat	57	47	43.1	12	8	2	1	23	21.1	8	
Pathankot	81	23	28.8	4	..	1	..	5	8.4	—	
Rewari†														
Rohtak														
	TOTAL	1,282	1,011	41.0	124	24	63	7	313	12.7	91
Uttar Pradesh														
Agra	844	872	56.8	3	61	114	17.3	29	
Allahabad	822	250	40.6	3	2	38	1	76	12.3	12	
Amroha	59	55	48.7	5	3	4	..	21	18.6	3	
Bahraich	45	28	32.5	4	2	1	..	8	9.3	1	
Ballia	32	12	19.6	4	1	8	13.1	..	
Banaras	350	436	65.1	64	12	18	..	205	30.6	57	
Banda†														
Bareilly	197	98	26.0	—	2	—	11	8	9	..	34	9.0	12	
Basti†														
	TOTAL	53	36	35.5	—	—	—	10	..	1	..	14	18.8	4
Bijnor†														
Budaun	98	47	64.7	1	3	2	1	17	23.4	6	
Bulandshahr†	124	40	16.9	2	1	2	..	15	6.3	2	
Etawah	61	72	61.7	8	1	8	..	30	25.7	11	
Faizabad-Ajodhya	79	42	27.8	7	1	7	1	18	11.9	3	
Farrukhabad-Fatehgarh	76	67	46.1	8	7	6	1	31	21.3	7	
Ferozabad	69	59	44.7	14	2	2	..	21	15.0	6	
Ghazabād	40	34	44.4	0	1	1	..	11	14.4	3	
Ghazipur	35	49	73.2	4	1	1	..	12	17.9	5	
Gonda	33	26	41.2	4	7	11.1	3	
Gorakhpur	128	82	33.5	18	4	6	1	40	16.3	5	
Hapur	45	44	51.1	9	1	3	..	14	16.3	8	
Hardwar	58	45	40.6	25	1	3	..	34	30.6	8	
Hathras	58	71	64.0	14	4	7	..	29	26.1	11	
Jaunpur	53	42	41.4	4	4	1	..	11	10.9	1	
Jhansi	109	99	47.5	30	1	43	20.6	13	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th October, 1952—*contd.*

Deaths from:—

Town	Mid-1952 Popn. Est. (000)	Deaths from:—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Kanpur	662	454	35.9	125	42	41	10	361	28.5	116
Kasganj	33	17	26.9	2	3	4.8	1
Khurja	39	18	24.1	5	..	4	..	17	22.8	4
Koil-Aligarh	141	93	34.5	27	4	4	..	53	19.7	14
Lucknow	457	381	43.6	41	5	19	1	146	16.7	44
Mathura	101	95	49.2	26	..	2	..	32	16.0	11
Mau-Nath Bhanjan	35	38	56.8	10	1	2	..	17	25.4	2
Meerut †													
Mirzapur-Vindhya Chal	90	79	45.9	20	2	3	..	36	20.9	6
Moradabad †													
Muzaffarnagar	67	34	26.6	8	..	3	..	22	17.2	5
Pilibhit	45	49	50.9	8	2	4	..	28	32.5	12
Rampur	140	31	11.6	4	..	3	1	11	4.1	3
Saharanpur	147	122	43.4	40	..	1	1	58	20.6	13
Sambhal	62	42	35.4	8	3	3	..	18	15.2	3
Shahjahanpur	99	60	31.7	13	3	4	..	28	14.8	10
Sampur	46	26	29.6	6	9	10.2	1
TOTAL	4,572	3,645	41.6	..	2	..	605	115	277	19	1,652	18.8	445

West Bengal

Return not received.

STATES (Part B)

Jammu and Kashmir

Return not received.

Madhya Bharat

Return not received.

Mysore State

Bangalore City	825	781	46.1	34	53	24	—	285	18.0	..
Davanagere	59	25	22.0	—	—	—	—	—	7	6.2	..
Kolar Gold Fields	163	55	17.3	2	1	3	2	21	6.7	..
Mysore City	257	154	31.2	4	5	—	1	51	10.3	..
TOTAL	1,304	965	38.5	40	59	27	3	364	14.5	..

PEPSU

Bhatinda	85	42	62.4	13	14	20.8	2
Malerkotla	33	44	69.3	..	1	..	2	..	1	..	5	7.9	1
Patiala	100	100	52.0	16	2	3	..	39	20.3	15

TOTAL 168 186 87.6 .. 1 .. 31 2 4 .. 58 18.0 18

Rajasthan

Return not received

Saurashtra

Bhavnagar	143	42	15.3	14	—	1	—	27	9.8	7
Dhoraji	45	24	27.3	5	..	4	..	15	17.3	..
Gondal †													
Jamnagar	109	62	20.4	9	..	1	..	20	9.5	4
Junagadh	63	28	20.6	15	21	17.3	3
Morvi	41	27	34.2	4	4	5.1	2
Porbandar	60	47	40.7	17	24	20.8	9
Rajkot	141	104	38.4	31	5	3	..	51	18.8	15
Surendra Nagar †													
Vernal	42	18	22.3	2	..	—	—	3	3.7	..
TOTAL	644	349	28.2	97	5	9	—	165	13.3	40

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th October, 1952—contd.

Town	Mid-1952 Popn. Est. (000)	Deaths from :-											
		B.	B.R.*	C.	S.	P.	F.	D.D.	B.D.	M.D.	Total	D.R.*	I.D.
Travancore-Cochin													
Alleppey	124	83	34.8	1	2	18	5.5	..
Changanacherry	37	20	28.1	1	1	9	12.7	1
Ernakulam	64	36	29.3	2	..	23	18.7	3	..
Kottayam	46	19	21.8	7	7.9	..
Mattancherry	76	56	28.3	1	9	6.2	..
Nagercoil	88	28	17.5	7	..	1	..	16	10.0	..
Quilon	68	90	68.8	1	0	..	28	17.6	2
Trichur	71	49	35.9	2	..	11	8.1	..
Trivandrum City	195	241	64.8	2	1	2	..	18	3.5	..
TOTAL	764	622	42.8	14	4	21	..	194	8.4	12

ARREAR RETURNS

Bihar	For w/e the 27th September, 1952												
	B.	B.R.*	C.	S.	P.	F.	D.D.	B.D.	M.D.	Total	D.R.*	I.D.	
Arrah	67	14	10.9	2	1	3.1	..	
Bettiah	36	12	17.3	3	2	5	7.2	..
Bihar	64	17	18.8	4	1	5	4.1	..
Bhagalpur	118	14	6.2	2	11	4.9	..
Dhanbad	38	5	7.2	1	1.4	..
Darbhanga	86	21	12.7	2	4	7	4.3	..
Dinapur	44	5	5.9	3	3.6	..
Gaya †	45	5	5.8	2	2	2.3	..
Jamshedpur	227	95	21.8	5	1	2	..	16	3.7	3
Monghyr	75	11	7.6	..	1	..	1	2	1.4	..
Muzaffarpur	77	1	2	9	6.1	..
Patna †	48	3	8.6	1	1	1.2	..
Purulia	713	34	5.6	5	14	6.4	..
Ranibhi													
TOTAL	1,033	236	11.9	5	38	4	3	..	80	4.0	3

Assam	For w/e the 4th October, 1952												
	Silchar	37	2	2.8	2	1	7	9.8
Bombay													

Bombay	For w/e the 11th October, 1952														
	w/e	4-10-52	62	48	38.6	1	..	4	4.3	..	
Kalyan	..	11-10-52	65	43	34.4	27	..	1	..	35	28.0	15
Nadiad	..	24-8-52	40	45	58.5	10	..	1	..	13	15.6	..
Godhra	..	11-10-52	40	47	61.1	10	..	1	..	13	6.9	..
Cambay															

West Bengal	For w/e the 11th October, 1952															
	Asansol †	Baidyabati †	Bally †	Bankura	Bansberia †	Baranagar	Basirhat	Berhampur	Bhadravtar	Bhatpara	Budge-Budge	Burdwan	Calcutta	Champdani	Cooch-Behar †	
				49	22	28.5	4	4.3	..	
				80	79	51.6	4	1	5	..	25	16.3	..
				36	7	10.2	1	5	7.3	1	
				58	31	27.9	3	2	1	7	6.3	2	
				33	26	41.2	1	2	1	8	12.7	2	
				136	45	17.9	13	1	3	..	32	12.3	7
				38	22	35.9	2	4	..	6	9.8	..	
				77	10	6.8	3	1	..	7	4.9	..	
				2,609	1616	33.4	4	68	101	179	6	709	15.4	355
				38	29	39.9	2	..	9	12.4	..	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; R.—Rivers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th October, 1952—contd.

Deaths from :—

Town	Mid. 1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—contd.													
Darjeeling†	32	8	13.1	1	1	1.6	..
English Bazar	114	31	14.2	5	2	5	..	8	8.2	4
Garden Reach
Halishahar	37	8	11.3	8	11.3	..
Hooghly Chinseura	57	41	37.6	3	2	4	1	17	15.8	3
Howrah	452	284	32.9	18	29	35	1	170	19.7	30
Jalpaiguri†
Kamarhati	80	46	30.1	5	1	11	7.2	..
Kanarpurapā†
Krishnagar	50
Midnapore	44	17	20.2	1	2	6	7.1	..
Nabadwip	59	46	40.8	5	1	10	8.9	..
Naihati	57	18	16.5	1	5	4	1	15	13.8	2
North Barrackpore	34	13	20.0	1	4	6.2	..
Panihati	55	5	4.8
Santipur	44	16	19.0	1	4	4.8	..
Serampore	76	50	34.4	9	2	4	1	29	20.0	..
Siliguri	35	10	14.9	1	1	1.5	..
South Dum-Dum	68	16	12.3	1	4	3.1	..
South Suburban	108	51	24.7	1	2	7	7	..	26	12.6	10
Titagarh	72	30	21.8	24	..	1	..	28	20.3	..
Tollygunj	3	1.0	1
TOTAL	4,785	2,598	28.2	6	173	162	252	12	1,231	13.4	337

Rajasthan*For w/e the 4th October, 1952*

Jaipur	307	53	9.0	31	..	39	3	98	16.6	32
Alwar	59	84	74.0	1	11	9.7	..
Baratpur	38	15	20.5	4	1	9	12.3	6
Sikar	46	5	5.7	1	3	3.4	..
Tonk	43	16	19.3	3	..	1	..	9	10.9	3
Bikaner	117	26	11.6	5	3	3	..	12	5.3	1
Ganganagar	39	5	6.7	5	1	8	10.7	1
Kotah	66	12	9.5	11	11	8.7	1
Udaipur	94	4	2.2	10	1	4	1	16	8.9	4
TOTAL	309	220	14.1	70	6	47	5	177	11.4	48

Madhya Pradesh*For w/e 18th October, 1952*

Raipur	93	27	15.1	2	1	1	..	8	4.5	..
Akola	93	72	40.3	8	4	2	1	32	17.9	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 25th October 1952, relate to 182 towns with an estimated population of 24,070 thousands. The total number of towns is 281 and their population is 34,764 thousands. Thus 65% of the total number of towns representing 69% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 10,844 and 8,394 representing birth and death rates of 42.9 and 18.1 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 158 towns with an estimated population of 21,190 thousands. Information about Bihar and West Bengal could not be included. The total number of towns is 235 and their population is 29,570 thousands. Thus 67% of the total number of towns representing 72% of the total population is covered. The numbers of births and deaths recorded in these towns were 17,722 and 7,683 representing birth and death

rates of 43.5 and 18.9 per thousand of population respectively. The table at the end gives the position by States.

Anakapalle in Madras was the only town which had a high death rate of 58.2 per thousand of population and the high death rate was mainly due to deaths from cholera and fevers.

(B) States (Part B).—The data here relate to 24 towns with an estimated population of 2,880 thousands. The total number of towns is 46 and their population is 5,184 thousands. Thus 52% of the total number of towns representing 55% of the total population is covered. The numbers of births and deaths recorded in these towns were 2,122 and 711 representing birth and death rates of 38.3 and 12.8 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 25-10-52		Corresponding w/e last year.		Corresponding mean during the previous 5-year period.	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	27.4	13.8	30.4	8.3	41.8	13.7
Bombay	39.8	16.0	43.3	16.2	41.7	21.8
Delhi	39.3	8.8	90.2	17.9	73.7	14.5
Madhya Pradesh	38.5	19.9	42.9	24.1	42.0	25.3
Madras	53.0	26.3	44.5	23.1	48.0	26.2
Orissa	34.7	18.9	39.0	19.3	41.0	24.3
Punjab (I)	41.0	12.7	41.0	10.1	43.5	14.0
Uttar Pradesh	41.5	18.8	42.1	20.0	43.1	22.9
India (only States Parts A & C).	48.6	18.9	45.4	18.9	39.9	21.2

New Delhi-2 (India);
The 17th November, 1952.

K. MITRA,
for Registrar General, India.